## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## Robert C. Young's East Big Discount Offer for 1928

LIBRAK

\$100 Worth of Fine Healthy Lining Out Stock for \$75

This positively is your last chance to cash in on a big discount for spring delivery. For 30 days only I offer you a 25 per cent discount from the prices as listed below. CASH POSI-TIVELY MUST ACCOMPANY order and order must be received within the next 30 days. This is my limit and I will accept no orders allowing this discount after 30 days. After that you must pay the regular price list price which you will find compares with the prices of

other reliable firms. Shipments can be made any time during March or April. DO NOT DELAY sending your order in as I am selling close on some good items.

Do not ask for an extension of time, as in fairness to all I cannot grant it.

Save 25 cents on the dollar by getting that order in the mail today.

you must pay the regu	lar	price lis	t p
		_	ī
EVERGREENS Abies, The Fire			
ABIES NORDMANNIANA (Norde	າ 100		
A pyramidul tre with small driso needlas; dark gram on suffare with allyses forms un unitr side. The fintal of all the Fits and vory			
l yr. i in.	8.6	0 75.00	
Buxus, The Boxw		ENS	
(Truelree Boxwood)  3 yr. trans. nursery rows 10-15 in.	\$20.0	0 175.00 0 150.00	
3 yr. trans. nursery rows 8-10 ln. 3 yr. trans. nursery rows 6-8 in. 2 yr. trans. nursery rows 6-8 in	15.0	0 126.00 0 110.00	
2 yr. trans. Hursery rows 4-6 in 2 yr. beds 6-8 in 2 yr. beds 4-6 in	0.00	75.00	
BUXUS SEMPERVIRENS SUFFF	0.00 SUTIC		
(Teuedwarf Boxwood) 3 yr, trans, 10-12 in 3 yr, trans, 8-10 in	75.00 50.00	400.00	
3 yr. truns. 6-8 in 3 yr. trans. 4-6 in	35.00	90.00	
ruffings ounds up from select spe- elmen plants growing on the grounds of old Southern refers in			
2 yr. beds 4-6 in.  2 yr. beds 2-4 in.  My betwood is prepagased from ruffing onds up from sairrf specimen illarir growing on the grounds of old Sonihern risies in North Cacolina and Virginia. These plantr range from 50 to 100 years old ard are in prirri cordilion. My stock of horwood is one of the ingrest in America and will pirms you.			
Cedrus, The Ceda			
CEORUS ATLANTICA (Atlas Cod			
A large majorily pyramidal free with allery green follows.  2 yr. 6-8 in	20.00	175.00	
2 yr. 4-6 in 1 yr. 4-6 in 1 yr. 2-8 in	10.00	90.00	
CEORUS DEODARA (Deoder)	0.00		
aldread most benutiful prosniental centar for the Atlantie, Southero and Parific Coast Sinics. Deodri is n			
Praibrry artirier into foliage con- aldred most fermillul ornamental centar for the Atlantile, Southero and Parifir Coast Sinica. Decotri is a Illiniu word, meaning Trrr of the Gods. Almost unrivalité in the grandrur of its printulous and Illir beanthra.			
2 yr. trans. 6-8 in	30.00 20.00 15.00	175.00	
	non)		
CEORUS LIBANI (Cedae of Lebai White ampilithe free is of conf- cal regularly shaped outling with wide appending broother, but as the free internant in age it assumes to			
round open brad, a rhange from the beautiful to the pirturnague. Aridr from its ornamental value it is of			
free intrinsor in age il assumra no rouni open brad, n'hange from tho bessitiul lo the piriurraque. Aridr from ilir ornamratai value il la uf prudiur injeresi lor fir arribruni and hiriorisal associations. If is raid to be the most bardy of the Geleva lamily, y	du		
2 yr. 4-6 in	9,00	126,00 80.00 75.06	
1 yr. 2-4 in.	6.00	50.00	
Chamaecyparis, The Cyp Relinosporas			
CHAMAECYPARIS LAWSONIAN	A (L	EWADD Cy-	
A grarrful plant of medium height, rreet growth, broad of base, taprring to point at ripe, branchra refirs with glaucous lips, under the nurse of larges allers, upper susfarr dork green. Prefere dey, well drained situations. Uitlemale bright 10 to 16 feet.			
branehra rettra with giaucous lips, undee lår auriace of Iravea alliery, upper sanfarr drik green. Prelere			
Z Vr. (rans. 5-10 in	25.00		
2 yr. trans. 6-8 in 2 yr. beds 8-10 in	20.00 12.00 8.00	100.00	
2 yr. 6-8 in 2 yr. 4-6 in 1 yr. 4-6 in	5.00	40.00	
1 yr. 2-4 in	3.50 noki (		
A slender rapid growing plant, rather open in habit, with supped follage of a stark geren color; usual- ly of medium bright, comrilmer si- taining a beight of 18 feet. Prefera n rather tertile roll.			
ly of medium bright, comelimer al- taining a beight of 18 feet. Prefera n rather fertile roll.			
2 yr. 6-8 in 2 yr. 4-6 in	7.00 5.00	40.00	
1 yr. 2 in	3.00	25.00	
(Sawara Retinospnea) Foliage beight-green somewhal pendulous. This is a very salumble said hardy locus, and le not com-			
snil hardy loem, and le not com- monly krown. 2 yr. 6-8 in.	7.00	60.00	
2 yr. 4-6/in. CRYPTOMERIA	5.00		
CRYPTOMERIA JAPONICA (Common Cryptomeria)			
A great lavorils in Japan, at- talos n heigh; of 100 or more foot. Of graceful and inpid geowth. Regular, prenmidal bablt, the foll-			
Regular, pyenmidal babit, the loil- age somewhal resembles that of the Noriolk island 'line; hardy in New England in sheltered position.			
2 yr. trans. 8-10 in	15.00 12.00		
2 yr, trans. 6-8 in. 2 yr, 8-10 in. 2 yr, 6-8 in.	7.00	80.00	
2 vr. 4-6 in.	6.00	50.00	

Euonymus	
EUONYMUS JAPONICA (Evergrood B.)	
Lasces dark, abining green. A fine clark for the lawe. Surerada in almost any iterative 2 yr. trans. 8-10 in. nursery rows. 12.00 110.00	
2 yr. trans. 6-8 ln. nursery rolvs. 10.00 90.00 l.arix, The Larch	
LARIX DAHURICA (Oshuring Larch)	2
Rare rapid-growing appelrs   From Ensiern Siberia; sil to 80 left.   2 yr. 4-0 in.   5.00   40.00   1 yr.   3.60   30.00	P
LARIX EUROPAEA (European Larch)	
yr. 4-6 in. 5.00 40.00 1 yr. 4-6 in. 4.60 35.00	3
LARIX LEPTOLEPIS (Japaneae Laceb) Ties to 80 lest high and very hradaom: as a lrwn sigriffon.	2 1 P
2 yr. 6-8 in	2
LARIX OCCIOENTALIS (Western Larch)	1
1 yr 6.00 50,00 Libocedrus, Incanse Cedar	P
LIBOCEDDUS OFCHDDENS (O. U.	2
both in form and riverture, the Lumbordy popular, it is a init jow- ering, extractor rece of nimed may- note significant. It is a free for	2
Thir is a tree that eaembles both in form and riruriure, tho Lumbordy popular, it is a init low- ering, celement free of almost may- pule slonderness. If is a free for elimaton where the winter irmper- nitre is not too severe. Arbor- etter-like follars.	P
2 yr. trans. 4-6 in 20.00 175.00 Ligustrum, The Privets	1
LIGUSTRUM JAPONICUM (Japanese Privet)  A very handsome hiesd-fraved variety will here, dork-green	P
teases. Flowers produced in paniries fol- howed by nurple beteins which ore	1
leases. Flowers produced in panicles fol- liverd by purple beteins which one relained during the winder, giving the pirit a crry piraling nopeor- ance. This plant can be grown into a mold free, rose also be trimmed into pyromidal, simulard or other forms. Ultimair beight, 20 to 30 leet.  The 12 in the control of the con	P
Irlmmed Into pyramidal, alandard or other forms. Ultimair height, 20 to 30 feet.	
2 yr. 10-12 in. 5.00 40.00 2 yr. cut-back 8-10 in. 4.60 36.00 2 yr. cut-back 6-8 in. 4.00 80.00	2 2 1
1 yr. 6-8 in. 3.00 25.00 1 yr. 4-6 in. 2.60 20.00	P
LIGUSTRUM JAPONICUM AUREA A lorge obrub almillar in habil to Ligurirum Japonirum, but willia	
Ligurirum Japonirucu, buf willa lenera deeply morgined with golden yrilose, Very niirnellee in planiinga uaed in remidinallon willi grach prod alivery irarrd fooms. Utilimpie	2 <b>F</b>
allvery Irarrd foems, Ullimnte hright 8 m in fret. 2 yr. 6-8 in. Seedlings 1.00 36.00	2
LIGUSTRUM LUCIDUM (Glossy Peivni) A brantful form of Japaneso Priver, Leaves large, lible, cente, fanreoiris of s erry dark rhining green, Large heads of white lilwern produced in May, followed by blark berles, which are retained through- out the winter. Hardy at Ballimore, A mort desirable varirty, Altains a bright of 20 leet.	1 P
green. Large heads of white fluwers produced in Mny, followed by black berries, which are retained through- out the winter. Hardy at Baillmore.	
A mort dealrable varirty. Attains a bright of 20 test.  1 yr. 4-6 in 5.00 40.00	3
LICUSTRUM NEPALENSE (Nan-) Primary	2
Medium also, dark green, glossy travra; uniform, compact surceding growth. A very attractive plant, caernital in inndacape planting in masses, banking or groups. Fills apres between lail, tank growing ahrubs and the cory low growing typer.	F
abruha end the eery low growing shruha end the eery low growing typer.  2 yr. 8-10 in 8.50 75.00	
1 yr. 4-0 in 5.60 46.00	2 2
LIGUSTRUM QUIHOUI (Quihour Privot)  Flao leal rype, Bluoma lhiough- ouf the senson, Ercellini lor ilorlal'a use, Small Iravea mirdlum rbade of green very dense compart growth, Shapely rriy drafirable varisty for cloupt and loundailon planting, Medium height.	F
Horlst's use. Small traves mirdium rhade of green very dense compart growth. Shapely resp distrible watery los cours and kannilles	
planting. Medium height. 2 yr. 10-12 in 4.00 80.00	1
Nandina NANDINA DOMESTICA (Nandina)	F
The delicate lallage of the Nan- dina la a brilliant dash of eargeous orange red or erimson eologi in winter the deservoir entry to be	2
Ing unr of the dwarfah plant of Joponese gardenr. The frares are rieb red when young, dark green at	1 P
maturity, and boidly cultred in winier, Nandina rhelees well in any well dralued, loomy soll, and le fair- ly hady. In nulumn it is, coresed	
NANDINA DOMESTICA (Nandina)  The delicate foliage of the Nandina la a brilliant dash of corgeous orange red or erimson color in winter. It is drawn and stocky, being our of the dwarfash plants of Jotonese gardebr. The Irares are rich red when young, dark green at maturity, and boldly culred in winter. Nandina rhelees well in any well ditalized, tampy soil, and le fairly haedy. In antimorphism of amili ced beerles. This plant is one of the fince plants arosi used in the helice class of landscape work.	
2 yr. trans. 4.6 in 17.00 150.00	2
2 yr. 4-6 in 10.00 90.00 Picea, The Spruces	2 P
PICEA ALBA  Doserlhed by lialley, the eminent horileulurial, ne "A narive di 1bo Noethern paer of Ameelea." Derives the name Whire Speece due to fra	
flaged with him,	1
1 VT 3.50 80.00	P
PICEA EXCELSA (Norway Spruce)  Foe many years Noeway Speuen has been bighly nppreciated be- cause of its endig geowth, its ibrill- iness, and its heavy masses of	2 1

drep green lollage, Some of the		
Sprung, on the freer ran madly he		
deep graen lollage, Some of the finest old hedger one of Norway Spruse, as the freer ran jaddly he pruned to any desired hight. On farms and around humas all ocer thr sounity Norway Sirter wind-lirrake are giving substantal profertion to slock and buildings. Norway Sprure is a tall, pictureaus, and handy tree, grareful in all listings, and well mappied to pisning oar a wide tango of jerrbirs.  2 yr. 2-4 in.		
lirrake are giving auhatantal profer-		
way Sprure la a tall, pictureaque,		
lines, and well adapted to planting		
2 yr. 2-4 ln.	1.50	12.00
2 yr. 2-4 ln. 1 yr. 1 in.	1.25	10.00
PICEA PUNGENS (Colorido Sprue		1000
Tree 80 to 100 fart or more.	100	1000
Handsome tree of symmetrical habit with light colored (ollass- Very		
Tree 80 to 100 fart or more. Handsome tree of animetrical habit with light colored follow. Very poor lar as a lown tree are for day climates. Ore of the seal of all Spingers.		
Spinson,	40.00	350.00
		100.00
2 yr. 2-4 (n. 1 yr. 1 ln.	4.60 3.00	35.00 25.00
PICEA PUNGENS GLAUCA	0.00	20.00
A selected blue shade. 2 yr. 2-4 in.		
2 yr. 2-4 in.	5.50 4.60	45.00 35.00
Pinus, The Pines		30.00
PINUS AUSTRIACA (Austrian Pin		
Har fieb, glorny, dark freen foll-	10)	
Har rich, gloray, dark freen foli- ace. Well adrpird for phulling in ellies, as it is bighly reliatant to amoke. A farl growing dema free of wenderful adaptability.		
amoke. A farl growing dema free of wonderful adaptability.		
2 yr. 6-8 in. 2 yr. 4-6 in.	7.00	00.00
	4.60 3.50	35.00 25.00
PINUS OENSIFLORA (Japanese	Red Pin	e)
Tree to 100 leet tall, in rultirn-		
PINUS OENSIFLORA (Japanese I Tree lo 100 leet tall, h ruffirn- flum murh Iras. Handsenr orna- mental Jupanese Pluo ol rupid growth whrn young, vory pleluros- oue whrn older.		
1	1.25	10.00
PINUS EQULIS (Nut Pine)	1.20	10.00
PINUS EOULIS (Nut Pine) Small Iree 18 to 20 feeb to belght with horizontal branche, Very bushy, Folland dark green, Hardy north as far nu Massachbolls.		
bushy, Follago dark green. Hardy		
1 yr	5.00	40.00
PINUS FLEXILIS (Limber Pine)		,-
Tree to 50 free or oser. A hardy, unaually low Pine will approad-		
Ing branches drustly elighed with		
planting on rorky slopes	5.00	40.00
2 yr. 2-4 in.	5.00 4.50	40.00 35.00
PINUS FLEXILIS (Limber Pine) Tree to 50 fret on oser, A hardy, unusually low Pine with apprend- ing branshes dransily elophed with dark green traces. Adheted for planting on rorky alopes 2 yr. 4-b in. 2 yr. 2-4 in. 1 yr. PINUS MONTANA (Swiss Mounts)	3.50	25.00
PINUS MONTANA (Swiss Mounts Very varioble in habits qually low, olirn propirate abrid, some- limes pyramidal free to 40 free tall, Usraily bandsome low shuth with bright green foliage.	sin Pine	)
low, olira proglede abril, some-		
Unrally handsome low shigh with		
2 yr. d-G in.	6.00	\$0,00
PINUS MONTANA MUGHUS		
Perhaps the most useful of the dwsrf Plans for loundations plant-tox. Vary absubby nod low.		
log. Very abrubby nod low.	4.50	35.00
2 yr. 2-4 in. 1 yr.	3.50	35.00 25.00
Most intresting certainty of the hold in remport and symmetrical dense of bright green follage; ner-lies are sharp and of the green color. Sureeds to any soil, and to inenhabit for pinoling in a dry rocky locallop.		
dense of pright green tolinge;		
color. Surgeeds in any soil, and lo incultable for pinoling in a dry		
rocky location.	5.00	40.00
3 yr. 2-4 in. 2 yr. 4-6 in.	6.00	50.00
2 yr. 2-4 m.	4.50	36.00
PINUS PINASTER (Clurter Pine Tree to 100 feet, with appending or aomeliumer pondulous branch- er forming a pyramical head; bronribiris hright reddish brown; huda oblong-ovul brown, not resin- ous; frances silfa, neuis, usually twirted, glossy green.	)	
ing or sometimer pendulosa branch-		
branchiria hright fredial brown;		
one:   lunca all f, near wantly		
twirled, glossy green.  2 yr. 10-12 in.  2 yr. 8-10 in.	6.50	65.00
2 yr. 8-10 in.	6.00	50.00
PINUS PINEA (Italian Sione Pin	0)	
Compari and aymmutiful when young, and pirluresque who older, will a broad painsol-like brad, flardy only in California and the South		
Hardy only in California and the		
Sorth. 2 yr. 4-6 in	5.00	40.00
1 are	1 50	95.00
PINUS PONDEROSA (Western Y Trr cernsionally to 100 feet tail, probebly 50 to 75 feet to ruilirelloo, important timber ree somewhal re- semiling Austrian Pine. Very Goe othemptal.	ellow Pl	lne)
probably 60 to 78 feet in rullirelloo,		
sembling Austrian Pine. Very 600		
2 yr. 4-6 in.	3.60	25.00
1 ут	3.00	25.00
PINUS STROBUS (White Pine)	-	
PINUS STROBUS (WE!! Pine)  The White Pine is the largest of nill ronliere natire to the easiern part of the United States. It readily adapts itself to both dry and motal solls, for it is found on the poorest and driest sond, and on elect, cocky elopes, and also on holal elay state and river bolloms. It growe rapidly and have long flexible needles, whillish be ornib.  2 yr. 0-8 in.  2 yr. 4-6 in.		
alapia liceli lu bolh dry and mulaf		
and driest sond, and on elected		
flals and river bolloms, ill growe		
rapidly and has long, flexible needles, whilloh beomith.		
2 yr. 0-8 in.	5.00	40.00
PINTE CVI VECTOR (C)	3.50	25.00
A splendld leee of hread pyra-	)	
fully awaying branches of needlee		
PINUS SYLVESTRIS (Scolch Pine A splendld leee of hrhad pyra- milial habil, rather open, with geace- fully awaying tranches ", nuedice of medium length of a block green color, Moel solla and uranions; ultimate belief 35 to 40 feet  1 yr.  PINUS THUNHERGU (pranose F		
1 yr.	1.50	10.00
PINUS THUNBERGII (Sipanose E	lack Pi	
PINUS THUNBERGII (Japanose E True lo 100 feet tall, farge win- ter buda allrery-while. Ahandsome		
Distrate iddo risec		40.00
2 yr. 10-12 in.	3.00	26.00

Thuja, The Arborvita	200	
THUJA OCCIDENTALIS (American		-Vilne)
The American Albor-estas is the mother tree from which upweed of diry distinct types hare been described. The critical force described. The critical force of Arbor-elias have long been of great commercial value for rimber, produring tall, attaight frucks much used for rilegiagh poles. The Arbor-elials is resy burst and dependable in almost any allustion. Stands relimming well, and for this reason in widely used for bedge purposes. It usually grows braby at the bortom and taperine toward the lop. Foliage is arry roll and flexible and of fine deep given color.	100	1000
filly distinct types here been de- school. The order locals of Ar-		
commercial value for fimbus, pro- during tall, assaught fruske myeb		
bor-ritals is raily horier and depend-		
reimming will, and for this reason in widely used for badge purposes,		
Il usually grows brashy at the bots- form and taperirg toward the lop- Foliage is arry roll and they blo and		
of fine deep giern colos.  2 yr. trans. 12-18 in.  1 yr.	60.00	460.00
1 yr	3.00	26.00
THUJA ORIENTALIS (Octonial Ai A communatively low, bisedly py- ramidol lice, natice til Asia. Ila color la a referebing yellowith green almitar lo Hosey'r, although duilling to bronsy green lo winter. Very capid grower.	001. 410	, ac
eolor is a referring yellowich green similar to Honey'r, allhough dulling to brongs weren la winter		
Very capid grower.  3 yr. trans. 12-16 in.	15.00	125.00
3 yr. trans. 12-16 (n. 3 yr. trans. 8-10 in. 2 yr. trans. 8-10 in.	12.00 8.00	100.00 70.00
2 yr. trans. 6-8 in. 2 yr. beds 8-10 in.	7.00 5.00	60.00 40.00
2 yr. beds 6-8 in. 1 yr. 4-6 in.	4.00	30.00 20.00
1 yr. 2-4 in.	2.00	18.00
THUJA ORIENTALIS AUREA (C. Chinese Arbor-ellas grows much mora capid ihon olhri valleller bree lisrel and mny be casily brdded out al one year. The sorielirs listed are	olden C	Priontal)
liared and may be easily brided out at one year. The socialire listed are		
produced from seed and due to rel- alon to type I espaid granafee any stated prirent to be true Com- pecta, Auria, Globora or Nans In these seedlings.		
peets, Aurra, Globora or Nans la Thean seedlings.		
1 yr. 4-6 in. 1 yr. 2-4 ln.	4.50 3.50	35.00 26.00
THUJA ORIENTALIS COMPACT.	A	
A compact, dwnrf confer with serra foliage. Excellent for lawns and for uros. Nrsi and affraerlyc.  3 yr. trans. 8-10 in.	15.00	125.00
2 yr. trans. 6-8 in	15.00	100.00
2 yr. beds 6-8 in	6.00 5.00	50.00 40.00
2 yr. beds 4-6 in.	4.50 3.50	35.00 25.00
1 yr. beds 2.1 in THUJA ORIENTALIS GLOBOSA	2,50	20.00
(Chinese Globe Arbor-Vitao)		
2 yr. beds 4-6 in THUJA ORIENTALIS NANA	6.00	50.00
Very dwarf and compart habit.	6.00	50.00
Tsuga, Hemlock	1	
TSUGA CANADENSIS (Canoda one of our benduonral ornamantal frame for lawns on 101 beilgra. Standa severo elipoing.  4 yr. trans. 6-12 in.	Hemloci	k)
Standa aevero elipoing. 4 yr. trans. 6-12 in.	60.00	
1 yrTSUGA DIVERSIFOLIA (Japane	0.00	40.00
2 yr. 2-4 in.		50.00
Ulex, Gorse ULEX EUROPAEUS (Common Go	ran'i	
Ornemental evergreen plant, Grown for Ibric hardrome yellow flowers, lins dark green - apiny branches, Valuable for rovering dry sandy banks, also well salled for	120)	
flowers, lins dork green apiny branches, Valuable for revering dry aandy banks, miss well apiled for		
rea-side planting. 1 yr. 4-6 in.	4.60	35.09
SHRUBS AND TRI		
ABELIA GRANDIFLORA One of our most braulifol, popu-		
One of our most brauffol, popu- lae and salifactory broad-leaved ceristeria. The grariful, drop- ing riemr and branches are coreed with dark, glossy fraves which in		
with dark, glossy traves which in winter praymes a metallic aborn,		
win dork, greaty invest which in winter nraumes a mitallie shern, From the middle of May until from Ills plant produces at lumenso quantity of lubular-shaped while nowers. Hardy as far north as		
t illimacibana.	35.00	105.00
2 yr. rooted cuttings 6-12 in. trans.  ACER PALMATUM (Japanese Ma		125.00
This apreles and Arrr Japonleum are known as Japanrae mapira. They are extremely handsome shrubs of dense though graceful habir, and with riegast foliase.		
they are extremely handsome shrubs of dense Though graceful habit, and with riegant fullage,		
habit, and with riegant foliage, becaulful especially in spring for its drillrate shader of green and red, and again in automo when the iracea proume the mort striking fints. Largely used for grailing riock for the many Japanese values.		
Iracea proume the more striking tinta, Largely used for gratting		
	7.00	60.00
1 yr. 3-4 in. 1 yr. 2-3 in.	5.00	40.00
AUCUBA JAPONICA (Gold Dust) Aucuba)	(Japa:	Dese
This benuifful plant le not suffi- elently appreciated. When in the		
when planted in a chaded altuation, in a somewhat motal, though eleb.		
well drained soil. This genus con- lains both male and famile plants.		
plants they will produce a profusion of cod barries which makes that		
Aucuba)  This beaniful plant le not sufficiently appreciated. When in the open ground it gives the best cesuite when planted in a chaded situation, in a somewhat moist, though eich, well drained soil. This genus contains both male and famile plants. If the latter are planted near male plants they will produce a profusion of ced barries which makes them sary nitrariles. Aucubas are especially desirable for city gordens when same are expected to emoke. These clashs are also largely used to emans, urns and window boxes.		
There plants are also largely used loe mans, urns and window boxee. Handy ar Wnshlogfon, D. C. 1 yr, rooted trans. 4-6 in		
1 yr. rooted trans. 4-6 in	35.00	300.00
Glistening green foliage. Upright		
desired form.	4.50	35.00

CORNUS FLORIDA (Flowering Dog	rwood)	
		100C
The calirs large while-flower- ing Dogwood. A most effective pirti for the laws. Largely need for grafilog the piok varsety on. 1 yr. 8-12 in		
1 yr. 8-12 in.	0.00	90.00
1 vr. 4.6 ln	4.50	40.00 \$5.00
CRATAEGUS PYRACANTHA COC  A beaufild aub-variely of ever- creas burning bush. Very rifler- tir and drairable, fo early apring the plant is consist with a profu- ation of white flowers, which are fol- lowed by bright crango between three winter.  Let 4.6 in	CINEA	
Grand drainable. To early agring the plant is counted with a profes-		
alon of white flewors, which are fol- lowed by bright crango berries,		
lire winter.  1 yr. 4-6 in.	3.50	05.00
CRATAEGUS PYRACANTHA LALA		26.00
Sometimes sailed "Surning Ifush." An eassacen shrub of spreading habit: foliage a rich dark glessy green; elusiers of while flowers in the apring are followed by a writin of orange-colored berries, which remain on the phot all wioter,		
Erren; elusiers of white Cowerr in the apring are followed by a writin of orange colored hereto-		
which remain on the phot all winter,		
2 yr. 4-6 in. OESMODIUM BICOLOR (Lespedez	7.00	60.00
2 yr. 12-18 in.	4.50	49.00
OESMOOIUM FORMOSA ALBA (1 2 yr. 6-12 in.	1 5 0	1000
MAGNOLIA GRANDIFLORA (South This is the grandest et all our nation to the product of the product of the southern of the Southern States, and surged to the southern States, and surged to the southern of the Southern States, and surged to the southern of t	horo Ma	gnolia)
this is in Fr grandrat et all our mailse broad-leared svergreen freet, It is a natice of the middle acctions		
of the Southern States, and sur- ereds bear in a rich roll. Nothing		
more renapirucus ran be reen among terrersees when iir lergs, while fluwers are fully exampled. Their		
period of blooming begins the middle of April and large until Argrat.		
r yr. 2+4 th	5.00	40.00
PHOTINIA SERRULATA (Low PE	olinia)	
A shrub with large shining foliage which irrquently colors erimson and biotice to wieler. Whito flowers producted to large trusses fedlowed by ted berries. In spring the young growths are a drilest shade of light green which in cooted with the darker foliage, gives a cery beautiful effect. Utilimate bright 6 to 12 fect. Profetr well draleed, frill soil and rome sue, although does lairly well to rhade. A resy valuabler and space plant. Do not fall to add this fine plant to your		
lowed by red berries. In apring the		
of light green which in cooted with the darker foliage, given a cery heavillal affect this had been		
lo 12 feet. Prefeir well disloed, freilir soll and rome sus, allhough		
does lairly will in thads. A resy valuable and scarce plant. Do not fall to add this fine plant to your		
2 yr. trans, 6-8 in.	12.00	110.00
2 yr. trans. 4-6 in. 2 yr. 6-8 in.	10.00	90.00
2 At' 4-0 lu'	7.00	60.00
PHOTINIA VILLOSA Of vacyling height but normally		
of vacying neight ud normally mrdium, liberally act with amali rotymbe of white flowars to Juhr. The foliage is correctly red in the fall; only the bird-pind trailing in the property of the same scarled riveles rarry the same scarled		
the fall; ond the bled-print trail-		
giram hall through winter, 1 yr, 6-8 in.		50.00
SYRINGA VULGARIS (Common A standard, old firhlourd gardin varlity; flowers blotch priple,	Lilec)	
2 yr. trans, beds 8-10 in.	12.00	100.00
2 yr. beds 6-8 in 1 yr	3.00	50.00 25.00
SYRINGA VULGARIS ALBA  The old Isabiooed Whita Litar, blooming in rarly apring; every		
2 yr. 4-6 in. TAXOO1UM DISTICHUM (Commo	5.00 n Bald-	45.00 Cypress)
A tall pyramidal tree; grown for		-,,
la light green in color. 2 yr. 18-24 itt.		90.00
1 yr. 6-8 inVINES	8.60	75.00
HEDERA HELLY		
glossy green traces; rapid growing runra which will cling to walls or		
The well-known ley of the South; glossy green leaces; rapid growing rouns which will elling lo walls or trail along the ground, making a dense cover, succeeding in elihar gun or shads and in most solls.		
2 yr. beds rooted cuttings (small leaf)	+ 00	95.00
2 yr. 21/2 (n. pots	16.00	35.00 150.00
VINCA MINOR (Periwinkle) 1 yr., strong plants	4.00	35.00
YUCCA		
YUCCA FILAMENTOSA (Common	в Үрсса	)
A conreleuors plant with silf overgreen foliage. The large clusters of cramy whils flower produced to summar make a fine effect; excellent for massing.  3 yr. beds (heavy)		
3 yr. beds (heavy)	6.00	60.00
1 yr. 6-8 in. REGALE LILY	3.60	25.00
1 II IIIM DECATE (D		
"One of the most hematical of all known lilles. The exquisite blending of thirs and colore locations a cheeming cooract with the deh, deep green lollage. Highly recommended for general culture, both for portion and premargund. Strong green and premargund from the color." I Balleyi.		
a chaeming contract with the eich, deep green lolinge. Highly recom-		
minded for general culture, bosh for pot and the open ground. Strong growing and premanent as far comb		
ne Boston."   Balley . "L. Regale came to us from		
count. With Hr Erre Howers, whate ovedsid with plak and with a yellow thecat, if ie one of the most statular		
growing and pecmanent as far oorth ac Uoston." [Bailey].  "L. Recale came to us from China. Will lir large flowers, whate oveelsid will by lak and with a yellow theoat, it is one of the most stately of all. Trented like L. Speciosum cubcum of L. Auraum, it appears to be as hardy as oliber and a most welcome addition to what we already hase. If can be grown and flow-		
be an hardy an oliber and a most welcome addition to what we already hase. It can be grown and flow- ered in pole."		
2 yr. bulbs from beds (size	10.00	100
of acom)	16.00	160.00

I would say to those unacquainted with me that I was born and grew up in nursery work on my father's nursery and have been engaged in the nursery business all my life. After spending eight years in northern nurseries, I returned south and devoted my time and small capital to growing boxwood and evergreens, today I have millions of evergreens growing in one of the largest evergreen producing plants in the south.

Located in the Piedmont section of the State we have severe cold weather, but there is very seldom a week from October to May in which we can not dig and ship. You get your stock from me when you want it and when you must have it for results. I do not pack my stock in a cold storage or put it in a greenhouse to ship out during the winter months and early spring.

I dig your order right out of the ground where it is growing, puddle the roots at once, also puddle again before packing, wrap the roots in damp moss and over this wrap wax paper.

My packing is done in a cool damp cellar and I absolutely guarantee my stock to reach you in perfectly healthy condition.

I personally look after digging and packing each and every order. When you buy of me you get real service and good stock treated in the proper way.

A trial will convince you.

## ROBERT C. YOUNG

## Wholesale Nurseryman

Member Southern Association of Nurserymen Member American Association of Nurserymen Greensboro, N. C.

Reference—Atlantic Bank & Trust Co., Greensboro, N. C. American Exchange Bank, Greensboro, N. C.

